

New Jersey State Police



Daniel L. Brodowski

This certificate is awarded to
who has successfully completed a course entitled "Driving While
Intoxicated/Standardized Field Sobriety Testing" conducted by the
New Jersey State Police.

Signed this 15th *day of* September 20 17

Joseph A. [Signature]
Superintendent, New Jersey State Police

DEPARTMENT OF

Fire and Public Safety

This is to certify that

Daniel L. Brodowski (Operator ID #4661)

IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BREATH ANALYSES PURSUANT TO CHAPTER 142 OF THE LAWS OF 1966 IN THE OPERATION OF THE ALCOTEST 9510-A METHOD TO DETERMINE INTOXICATION.

GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY, THIS 16TH DAY OF JANUARY TWO THOUSAND AND TWENTY-FIVE.

Daniel J. Callahan

COLONEL
NEW JERSEY STATE POLICE

Mr. J. A.

ATTORNEY GENERAL
STATE OF NEW JERSEY


DEPARTMENT OF
Law and Public Safety
 This is to certify that

Daniel L. Brodowski
Chesterfield Township

IS QUALIFIED AND COMPETENT TO CONDUCT CHEMICAL BARRATH ANALYSES PURSUANT TO CHAPTER 141 OF
 THE LAWS OF 1966 IN THE OPERATION OF THE Alcotest 9510
 A METHOD TO DETERMINE INTOXICATION.
 GIVEN UNDER MY HAND AT TRENTON, NEW JERSEY THIS 16th DAY OF January

TWO THOUSAND AND Twenty Five

 COLONEL
 NEW JERSEY STATE POLICE


 ATTORNEY GENERAL
 STATE OF NEW JERSEY

ORIGINAL COURSE DATES

DATE	Refresher Course PLACE	INSTRUCTOR
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		

STATE OF NEW JERSEY
Chesterfield Township Police
THIS IS TO CERTIFY THAT


Sgt. Daniel Brodowski

has successfully completed the prescribed program
and is hereby authorized to be a

RADAR OPERATOR

05/12/22
Issue Date

05/12/25
Expiration Date




Issuing Radar Instructor
Cpl. Richard Mellor

STATE OF NEW JERSEY
Chesterfield Township Police
THIS IS TO CERTIFY THAT
Sgt. Daniel Brodowski
has successfully completed the prescribed program
and is hereby authorized to be a
RADAR OPERATOR

05/12/22
Issue Date

05/12/25
Expiration Date



Issuing Radar Instructor
Cpl. Richard Mellor